


# UltraCrete Envirobred CD534 Flowable High Performance Mortar - 48x 18kg Bags

Product Images

Product Code: S00-4037



## Short Description

Specifically formulated for utility reinstatements. Envirobred® CD534 Flowable (formerly HA104) provides all the performance of Envirobred® CD534 but is significantly easier to apply. It conforms to CD534 and is also BT LN550 and LN320 compliant. It offers superior compressive, tensile and flexural strengths in 3 hours and can be opened to traffic in 1 hour.

### Features

Workability: 15 minutes  
Set Time: 30 minutes  
Depth: 10mm – 75mm  
44N/mm<sup>2</sup> compressive strength in 3 hours  
Combines as a bedding mortar and backfill  
9.5N/mm<sup>2</sup> flexural strength in 3 hours  
5.5N/mm<sup>2</sup> tensile strength in 3 hours  
No hazardous waste disposal  
Can be used in wet conditions and in temperatures as low as 1°C  
Aids lateral stability  
NBS Source registered for ease of specification  
UltraCrete Accredited Reinstatement Specification (UCARS) product

Supplied on a pallet of:

48x 18kg bags

48x 2.5 litre bottles

**Please see datasheet for further details.**

**This item may incur extra carriage charges.**

## Description

---

Specifically formulated for utility reinstatements. Envirobed® CD534 Flowable (formerly HA104) provides all the performance of Envirobed® CD534 but is significantly easier to apply. It conforms to CD534 and is also BT LN550 and LN320 compliant. It offers superior compressive, tensile and flexural strengths in 3 hours and can be opened to traffic in 1 hour.

### Features

Workability: 15 minutes  
Set Time: 30 minutes  
Depth: 10mm – 75mm  
44N/mm<sup>2</sup> compressive strength in 3 hours  
Combines as a bedding mortar and backfill  
9.5N/mm<sup>2</sup> flexural strength in 3 hours  
5.5N/mm<sup>2</sup> tensile strength in 3 hours  
No hazardous waste disposal  
Can be used in wet conditions and in temperatures as low as 1°C  
Aids lateral stability  
NBS Source registered for ease of specification  
UltraCrete Accredited Reinstatement Specification (UCARS) product

Supplied on a pallet of:

48x 18kg bags

48x 2.5 litre bottles

**Please see datasheet for further details.**

**This item may incur extra carriage charges.**