



4750RCHDW02FF4

Heavy Duty Rigid Case Windmills Standard Application Toolkit - 114 Pcs



PRODUCT DETAILS

- Ready to work at height
- 113 tools for working at height and 1 accessory for storage
- TAH1177-SCRIBE high-performance alloy steel scribes
- TAH2820EF2 folding pocket knife
- TAH6960, TAH6961, TAH6962 and TAH6962L 1/4" extension bars
- TAHBE-8630 Phillips head screwdrivers
- MTS-5-25 Measuring tape
- TAH08-5.5, TAH08-8, TAH08-10 1/4" non-impact sockets
- TAH111M-6, -7, -8, -9, -10, -11, -12, -13, -14, -15, -17, -18, -19, -21, -22, -24, -27, -30, -32 combination spanners
- TAH1150-1/2H/P Vernier callipers
- TAH1544 feelers gauges
- TAH2047-0.8-4 double offset keys
- TAH2047PR-1-2 Phillips offset screwdrivers
- TAH2427G-200 and TAH2430G-200 long nose pliers
- TAH2484-30 pry bars
- TAH2509 and TAH2535F2 flexible pick-up tools
- TAH2628G-160 pliers
- TAH3625W-35 round mallets
- TAH3734BM-3 and TAH3755BM-4, TAH3734BM-5, TAH3734BM-8 punch parallel pin
- TAH481-300 lump hammers
- TAH6950 socket wrenches
- TAH6956-1 1/4" square spinners
- TAH6958B-1 and TAH8158B-1 breaker bars
- TAH6966 universal joint
- TAH8150-1/2 socket wrench
- TAH8160 1/2" extension bars
- TAH8166 1/2" socket wrenches
- TAH8224 slip joint spanners
- TAH9070 adjustable spanners
- TAHBE-8020L, -8040S, -8155, -8260, -8030, -8050S and -8220S screwdrivers
- TAHBE-8610, -8610S, -8620S, -8620 Phillips screwdrivers
- TAHBE-8810, -8830, -8820 Pozidriv screwdrivers
- TAHBE-9777B 7 folding hexagon L-key set
- TAHSCB140G steel cable cutting scissors
- TAH08-6, -7, -9, -11, TAH16-H8, -T55, TAH16B-10, -11, -12, -14, -15, -16, -17, -18, -19, -21, -22, -24 non-impact hex sockets
- TAH08-12, TAH08-13 non-impact hex sockets
- TAH16-H5, -H6, -H7, -H10, -H14, -H17, -T40, -T45, -T50, -T60, TAH16B-13 1/2" square socket drivers
- TAH2101G-160 pliers
- TAH8162 extensions
- TAH9072 adjustable spanners
- 4750RCHDW02 HD rigid case
- TAHPINRELEASER pin releaser
- According to the standards defined by the DROPS drop prevention method

Follow the Fish!





PRODUCT ATTRIBUTES

Product					
4750RCHDW02FF4	114	480 mm	630 mm	290 mm	26 kg

Follow the Fish!



SET CONTENT



1/2" Square Drive Socket with 10 mm Bi-Hex Profile and 4 Point Solution
TAH16B-10



1/2" Square Drive Socket with 11 mm Bi-Hex Profile and 4 Point Solution
TAH16B-11



1/2" Square Drive Socket with 12 mm Bi-Hex Profile and 4 Point Solution
TAH16B-12



1/2" Square Drive Socket with 13 mm Bi-Hex Profile and 4 Point Solution
TAH16B-13



1/2" Square Drive Socket with 14 mm Bi-Hex Profile and 4 Point Solution
TAH16B-14



1/2" Square Drive Socket with 15 mm Bi-Hex Profile and 4 Point Solution
TAH16B-15



1/2" Square Drive Socket with 16 mm Bi-Hex Profile and 4 Point Solution
TAH16B-16



1/2" Square Drive Socket with 17 mm Bi-Hex Profile and 4 Point Solution
TAH16B-17



1/2" Square Drive Socket with 18 mm Bi-Hex Profile and 4 Point Solution
TAH16B-18



1/2" Square Drive Socket with 19 mm Bi-Hex Profile and 4 Point Solution
TAH16B-19



1/2" Square Drive Socket with 21 mm Bi-Hex Profile and 4 Point Solution
TAH16B-21



1/2" Square Drive Socket with 22 mm Bi-Hex Profile and 4 Point Solution
TAH16B-22



1/2" Square Drive Socket with 24 mm Bi-Hex Profile and 4 Point Solution
TAH16B-24



1/2" Square Drive Socket with 27 mm Bi-Hex Profile and 4 Point Solution
TAH16B-27





1/2" Square Drive Socket with 30 mm Bi-Hex Profile and 4 Point Solution
TAH16B-30



1/2" Extension Bar with 4 Holes 125 mm
TAH8160



1/2" Extension Bar with 4 Holes 250 mm
TAH8162



Stubby Pin Releaser for TAH Sockets Ø6 mm x 50 mm
TAHPINRELEASER



53 L Wheeled Heavy Duty Rigid Case 627 mm x 475 mm x 292 mm
4750RCHDW02



1/4" Square Drive Socket with 5.5 mm Hex Profile and 4 point solution
TAH08-5.5



1/4" Square Drive Socket with 10 mm Hex Profile and 4 point solution
TAH08-10



1/4" Square Drive Socket with 11 mm Hex Profile and 4 point solution
TAH08-11



1/4" Square Drive Socket with 12 mm Hex Profile and 4 point solution
TAH08-12



1/4" Square Drive Socket with 13 mm Hex Profile and 4 point solution
TAH08-13



1/4" Square Drive Socket with 6 mm Hex Profile and 4 point solution
TAH08-6



1/4" Square Drive Socket with 7 mm Hex Profile and 4 point solution
TAH08-7



1/4" Square Drive Socket with 8 mm Hex Profile and 4 point solution
TAH08-8



1/4" Square Drive Socket with 9 mm Hex Profile and 4 point solution
TAH08-9



1/4" Square Drive Extension Bar with 4 Holes 50 mm
TAH6960



1/4" Square Drive Extension Bar with 4 Holes 101 mm
TAH6961

Follow the Fish!





**1/4" Square Drive Extension Bar
with 4 Holes 152 mm**
TAH6962



**1/4" Square Drive Extension Bar
with 4 Holes 355 mm**
TAH6962L



**1/4" Square Drive Universal Joint
with 4 Holes**
TAH6966



**1/2" Square Drive Socket with 32
mm Bi-Hex Profile and 4 Point
Solution**
TAH16B-32



**1/2" Square Drive Socket Driver for
10 mm Hex Head Screws with 4
point solution**
TAH16-H10



**1/2" Square Drive Socket Driver for
12 mm Hex Head Screws with 4
point solution**
TAH16-H12



**1/2" Square Drive Socket Driver for
14 mm Hex Head Screws with 4
point solution**
TAH16-H14



**1/2" Square Drive Socket Driver for
17 mm Hex Head Screws with 4
point solution**
TAH16-H17



**1/2" Square Drive Socket Driver for
19 mm Hex Head Screws with 4
point solution**
TAH16-H19



**1/2" Square Drive Socket Driver for
5 mm Hex Head Screws with 4
point solution**
TAH16-H5



**1/2" Square Drive Socket Driver for
6 mm Hex Head Screws with 4
point solution**
TAH16-H6



**1/2" Square Drive Socket Driver for
7 mm Hex Head Screws with 4
point solution**
TAH16-H7



**1/2" Square Drive Socket Driver for
8 mm Hex Head Screws with 4
point solution**
TAH16-H8



**1/2" Square Drive Socket Driver for
TORX® T40 Head Screws with 4
Points Solution**
TAH16-T40



**1/2" Square Drive Socket Driver for
TORX® T45 Head Screws with 4
Points Solution**
TAH16-T45



**1/2" Square Drive Socket Driver for
TORX® T50 Head Screws with 4
Points Solution**
TAH16-T50





1/2" Square Drive Socket Driver for TORX® T55 Head Screws with 4 Points Solution
TAH16-T55



1/2" Square Drive Socket Driver for TORX® T60 Head Screws with 4 Points Solution
TAH16-T60



1/2" Universal Joint with 4 Point Solution 67 mm
TAH8166



ERGO™ 90 Series Adjustable Wrench with Quick Link 20 mm x 158 mm
TAH9070



ERGO™ 90 Series Adjustable Wrench with Quick Link 31 mm x 257 mm
TAH9072



Nylon Tip Mallet with Wire Loop 300 mm
TAH3625W-35



German DIN Hammer with Wire Loop 300 g
TAH481-300



Metric Offset Screwdriver Hex Key Folders with Kevlar String - 7 Pcs
TAHBE-9777B



Electrician Knife with Dyneema String 200 mm
TAH2820EF2



Professional Feeler Gauge with Safety Ring 76 mm
TAH1544



Flexible Pick-up Tool with Wire Loop 525 mm
TAH2509



Callipers with Safety Ring 9 mm x 75 mm x 235 mm
TAH1150-1/2H/P



70° Offset Scriber with Wire Loop
TAH1177-SCRIBE



ERGO™ Magnetic Pick-up with Dyneema String 10 mm x 400 mm
TAH2535F2



ERGO™ Spring Side Cutting Pliers with Safety Ring 160 mm
TAH2101G-160



ERGO™ Snipe Nose Pliers with 45° Bent Tips and Safety Ring 200 mm
TAH2427G-200





ERGO™ Snipe Nose Pliers with Safety Ring 200 mm
TAH2430G-200



ERGO™ Combination Pliers with Safety Ring 160 mm
TAH2628G-160



Heavy Duty Electrician Scissors with Wire Loop 43 mm
TAHSCB140G



Double Offset Key for Slotted Screws with Steel Wire 0.8 mm x 4 mm x 100 mm
TAH2047-0.8-4



Pry Bar with PVC Handle and Safety Ring 300 mm
TAH2484-30



Bi-Material Parallel Punch with Safety Chuck 3 mm
TAH3734BM-3



Bi-Material Parallel Punch with Safety Chuck 5 mm
TAH3734BM-5



Bi-Material Parallel Punch with Safety Chuck 8 mm
TAH3734BM-8



Bi-Material Centre Punches with Safety Chuck 155 mm
TAH3755BM-4



ERGO™ Water Pump Pliers with Safety Ring 250 mm
TAH8224



ERGO™ Slotted Screwdriver with Safety Chuck 0.5 mm x 3 mm x 75 mm
TAHBE-8020L



ERGO™ Slotted Screwdriver with Safety Chuck 0.6 mm x 3.5 mm x 75 mm
TAHBE-8030



ERGO™ Insulated Slotted Screwdriver with Kevlar String 0.8 mm x 4 mm x 100 mm
TAHBE-8040S



ERGO™ Insulated Slotted Screwdriver with Kevlar String 1 mm x 5.5 mm x 125 mm
TAHBE-8050S



ERGO™ Slotted Screwdriver with Dyneema String 1.2 mm x 6.5 mm x 125 mm
TAHBE-8155



ERGO™ Insulated Slotted Screwdriver with Kevlar String 0.5 mm x 3 mm x 100 mm
TAHBE-8220S

Follow the Fish!





Double Offset Key for Phillips PH1 and PH2 Screws with Steel Wire 100 mm
TAH2047PR-1-2



ERGO™ Bolster Screwdriver for Slotted Head Screws with Dyneema String 1.6 mm x 8 mm x 175 mm
TAHBE-8260



ERGO™ Screwdriver for Phillips Head Screws with Safety Chuck PH1 x 75 mm x 27 mm
TAHBE-8610



ERGO™ Insulated Phillips Screwdriver with Kevlar String PH1 x 80 mm
TAHBE-8610S



ERGO™ Screwdriver for Phillips Head Screws with Safety Chuck PH2 x 100 mm x 36 mm
TAHBE-8620



ERGO™ Insulated Phillips Screwdriver with Kevlar String PH2 x 100 mm
TAHBE-8620S



ERGO™ Bolster Screwdriver for Phillips Head Screws with Dyneema String PH3 x 150 mm
TAHBE-8630



ERGO™ Screwdriver for Pozidriv Head Screws with Safety Chuck PZ1 x 75 mm
TAHBE-8810



ERGO™ Screwdriver for Pozidriv Head Screws with Safety Chuck PZ2 x 100 mm
TAHBE-8820



ERGO™ Bolster Screwdriver for Pozidriv Head Screws with Dyneema String PZ3 x 150 mm
TAHBE-8830



10 mm Combination Wrench with Safety Spring 144 mm
TAH111M-10



12 mm Combination Wrench with Safety Spring 160 mm
TAH111M-12



13 mm Combination Wrench with Safety Spring 165 mm
TAH111M-13



14 mm Combination Wrench with Safety Spring 177 mm
TAH111M-14



15 mm Combination Wrench with Safety Spring 185 mm
TAH111M-15



16 mm Combination Wrench with Safety Spring 195 mm
TAH111M-16

Follow the Fish!





17 mm Combination Wrench with Safety Spring 200 mm
TAH111M-17



18 mm Combination Wrench with Safety Spring 208 mm
TAH111M-18



6 mm Combination Wrench with Safety Spring 112 mm
TAH111M-6



7 mm Combination Wrench with Safety Spring 120 mm
TAH111M-7



8 mm Combination Wrench with Safety Spring 130 mm
TAH111M-8



9 mm Combination Wrench with Safety Spring 136 mm
TAH111M-9



19 mm Combination Wrench with Safety Spring 215 mm
TAH111M-19



21 mm Combination Wrench with Safety Spring 250 mm
TAH111M-21



22 mm Combination Wrench with Safety Spring 250 mm
TAH111M-22



24 mm Combination Wrench with Safety Spring 270 mm
TAH111M-24



27 mm Combination Wrench with Safety Spring 310 mm
TAH111M-27



30 mm Combination Wrench with Safety Spring 330 mm
TAH111M-30



32 mm Combination Wrench with Safety Spring 345 mm
TAH111M-32



1/4" Square Drive Reversible Ratchet with Sealed Dyneema String 120 mm
TAH6950



1/4" Square Drive Spinner Handle with Safety Chuck
TAH6956-1



1/4" Square Drive Breaker Bar with Safety Spring 150 mm
TAH6958B-1





**1/2" Reversible Ratchet with Sealed
Dyneema String 270 mm**
TAH8150-1/2



**1/2" Breaker Bar with Safety Spring
256 mm**
TAH8158B-1



**11 mm Combination Wrench with
Safety Spring 153 mm**
TAH111M-11



**Metric Double-Sided Measuring
Tape with Rubber Grip 5 m**
MTS-5-25

